



NOTES:

1. MINIMUM DEPTH BELOW EXISTING SURFACE TO HOUSE DRAIN INLET TO BE 600mm.
2. 150mmØ HOUSE COLLECTOR DRAINS FOR UP TO 3 HOUSES ONLY
3. IF ALLOTMENT IS VACANT, HOUSE DRAIN IS TO BE PROVIDED IN LOWEST CORNER.
4. STAMP 'HD' ON FACE OF KERB OPPOSITE CONNECTION.
5. PROVIDE 600 x 600mm JUNCTION PIT (TO MP211) AT UPSTREAM END OF COLLECTOR DRAIN AT POINT OF CONNECTION TO LAST HOUSE DRAIN (SEE DETAIL ABOVE).
6. ALL MEASUREMENTS ARE IN MILLIMETRES.



DETAIL OF UPSTREAM END OF COLLECTOR DRAIN
NOT TO SCALE



PLAN
NOT TO SCALE



**MORNINGTON
PENINSULA**
Shire

STANDARD PLAN

**PROPERTY INLET
CONNECTION TYPE 10**

CERTIFICATION

D. Rotter
DEREK ROTTER - MANAGER PROJECT DELIVERY

DATE OF ISSUE: Sept 2015

SHEET NO.: 1 OF 1

MP410