


PLAN
NOT TO SCALE



DETAIL OF UPSTREAM END OF COLLECTOR DRAIN
NOT TO SCALE

NOTES:

1. MINIMUM DEPTH BELOW EXISTING SURFACE TO HOUSE DRAIN INLET TO BE 600mm.
2. 150mmØ HOUSE COLLECTOR DRAINS FOR UP TO 3 HOUSES ONLY.
3. IF ALLOTMENT IS VACANT, HOUSE DRAIN IS TO BE PROVIDED IN LOWEST CORNER.
4. STAMP 'HD' ON FACE OF KERB OPPOSITE CONNECTION.
5. PROVIDE 600 x 600mm JUNCTION PIT (TO MP211) AT UPSTREAM END OF COLLECTOR DRAIN AT POINT OF CONNECTION TO LAST HOUSE DRAIN (SEE DETAIL ABOVE).
6. ALL MEASUREMENTS ARE IN MILLIMETRES.



**MORNINGTON
PENINSULA**
Shire

STANDARD PLAN
**HOUSE DRAIN CONNECT TO
COLLECTOR DRAIN**

MANAGER - INFRASTRUCTURE PROJECTS

DATE OF ISSUE
SHEET NO

10/01/2025
1 OF 1

MP410