



**OPEN DRAIN CROSSINGS  
WITH CULVERT (RURAL ROADS)**

NOT TO SCALE




**SECTION A-A**

NOT TO SCALE

**NOTES:**

- 1 ASPHALT STRIP REQUIRED AS PER VICROADS STANDARD GD4010 (FOR SEALED ROADS), UNLESS OTHERWISE APPROVED BY COUNCIL REPRESENTATIVE.
- 2 THE PROPERTY OWNER IS RESPONSIBLE FOR OBTAINING A COUNCIL PERMIT FOR THE CONSTRUCTION.
- 3 PRIVATE VEHICLE CROSSINGS, WHICH GRADE FROM THE PROPERTY TOWARDS THE ROADWAY MUST BE CONSTRUCTED IN SUCH A WAY AS TO ENABLE THE INTERCEPTION OF STORM WATER RUNOFF AT A SUITABLE CUT OFF POINT WITHIN THE PROPERTY BOUNDARY AND THEN CONTROLLED VIA STORM WATER PIPE TO THE EXISTING DRAINAGE SYSTEM.
- 4 VEHICLE CROSSING CONSTRUCTION MATERIALS BOTH INSIDE AND OUTSIDE OF THE PROPERTY BOUNDARY SHALL BE SUCH THAT THEY DO NOT ERODE AND CONTAMINATE THE ROAD PAVEMENT, KERB AND CHANNEL OR DRAINS/DRAINAGE SYSTEM.
- 5 THE PROPERTY OWNER IS RESPONSIBLE FOR THE CONSTRUCTION AND MAINTENANCE OF THE VEHICLE CROSSING AND CULVERT, INCLUDING THE LOCATION OF UNDERGROUND SERVICES WHICH MAY BE AFFECTED BY THE EXCAVATION.
- 6 ALL MEASUREMENTS ARE IN MILLIMETRES.



**MORNINGTON  
PENINSULA  
Shire**

**STANDARD PLAN  
OPEN DRAIN CROSSINGS WITH  
CULVERT (RURAL ROADS)**



MANAGER - INFRASTRUCTURE PROJECTS

**DATE OF ISSUE** 05/12/2024  
**SHEET NO** 1 OF 1

**MP305**